


RAD-Moon DUO

100BASE-T1 Dual Media Converter

Connect Dual 100BASE-T1 to 10/100 Ethernet

The RAD-Moon DUO is a Dual media converter for connecting to two port of 100BASE-T1 physical layer to two port of a 4-wire 10/100 Ethernet (100BaseTX). The RAD-Moon DUO provides a small but rugged enclosure perfect for carrying in your laptop bag.



Features

- Dual 100BASE-T1 via Marvell 88Q1010 PHY
- Configure and monitor the registers in both PHYs using USB
- Only transmit and receive Ethernet on one PHY
- Stand Alone Mode for scripting simulation of Ethernet traffic
- Status membrane label LEDs to show PHY and network status
- Membrane buttons allow switching between PHY Modes
- Configure and monitor PHY registers via USB 2 (480 Mbps)
- Vehicle Spy licensing support
- 5V power range, compatible with in-vehicle power
- USB Type-C connector
- RAD-Moon DUO single channel can be used to Transmit and Receive Ethernet Messages using Vehicle Spy.

RAD-Moon DUO as a Media Converter




INTREPID
CONTROL SYSTEMS
www.intrepidcs.com

31601 Research Park Drive
Madison Heights, MI 48071 USA
Phone: +1 (586) 731-7950
Fax: +1 (586) 731-2274



www.aeta-rice.com

RAD-Moon DUO



Above: Connect up to 12 RAD-Moon DUOs to a 24 Port CISCO AVB Switch.



Ordering Information

Part Number	Description
RMD	RAD-Moon DUO Device

Specifications subject to change; please contact Intrepid for the latest information. All trademarks are the property of their respective owners.

Rev. 20190208



INTREPID
CONTROL SYSTEMS
www.intrepidcs.com

31601 Research Park Drive
Madison Heights, MI 48071 USA
Phone: +1 (586) 731-7950
Fax: +1 (586) 731-2274



www.aeta-rice.com